

s0J®Qp•J, P /.})

OV0 (-ó>T¬ë>A(d°%

'%•ë(-ó>T``vfe ; P P Nf\



8寸触控屏



原生Zoom系统



全彩LED灯带



POE或DC供电



简易部署



云端管理

'%•ë(-ó>T``vfe ; P P Nf\Py&gY' ; P P N&•k=m,8'. •J( -ó>TP^s•> LW``vfeæ03> '3ÿË~- '5(-ó>T``v0!æ\$JPžR?P (-ó
P^s• ¶ -ó>T(°k=g FVæQĖÍ 0æ* D F r& Y D I B O H F1\$ (P P H M FP^/žJ>> LWm,(-óP^s•. •J 0ZPž•nOEK05^h5ž
-ç03k=m,(-ó>Tt_„æÇ‡Q r E2-xm,t_„/Qk=g FV o

æ½S v•PÒÿÈ~-
R?) L&m,•ts•©ËL}vxí



[•\ž7Ö« S#pI7Ö«



h⁻iô R™

03ÿÈ--'5[•\ž7Ö« h⁻iô R™ v 0P
s+7Ö« æ†Î-•ÓC¾&v0Z(-ó>Tm,7Ö«
h 7⁻ o



ž •B •9 m,8'. •JKqSyæ03•ÓC¾C,"-lô
O÷"-b³] ÿÈ~-æ{Ø™Ë&v0ZJ;,"-CP> '3
ª=[o



OEKo 1 P &(ØkOlônI)((ØkOæž •B&gTO}ø}A0ZPž_Ø™ËkO_B&x
{ø}^•vLyæžJh; y5v•Bò}A o

03 •0V ; P P N— 8Švxi C,05lô'‰•ë'ñ&Æt_ ,vxi C,05 f‰•ë— 8Švxi C,05v ' ;Rj. C,05J i€•s•d(-ó>T— 8Švxi æ{
æ½ * 5vxi 'f0×•X}v/'. æ{ç/. 'ñ&Æt_ ,vxi Ojhg o

会议室门牌规格参数

6Çp,“ TT

N|(ry¹}a > />

?“CK

?o?	LCD 屏幕 (16:10)
- æùhg	1280x800
? ZñCƁ	1000:1
03“ “-	±80°/±80°

c?8’c?“XL}kO>,”
”ÈKw};)BJá,~
Ly•[(H-4<
+Õ}A(H-4<

}ø}^&x * 0 Ly0!

’Ä8Ö}ø	Y ’Ä8Ö}ø0!	. C Q T
8 J ’ J	B C H O B D	
%°f...		
3 ’ * % / ’ \$	.) [	
6 4 # Ly0!	Y 6 4 # \$ Ly0!	
K}§v	Y 3 F T F U =°	

音频

·L+Ø-e	Y ”È-)·L+Ø-e
J<8n4<	Y 8 B U U J<8n4<

供电

1 P & (ØkO * & & & B G
7 kO_B•Ó •4<

挂架

KqSy9 ‘3 ö,Ók=’5 H B O H 6 4 Q•n1
KqSy9 ‘3 ö; CƁ)ë“-æ{Ók=’57Ö« > ‘3lô•Oh¬îô> ‘3
KqSy9 ‘3 öƁ))ë“-æ{Ók=’57Ö« > ‘3lô•Oh¬îô> ‘3

规格

?“CK“ TT N N	Y	Ü Y	Ü
i¬i€	L H	M C	

Yealink



'%•ëEî)L, (0? '%•ë>=P0}øu@

/°`v'%•ë}ø}^J®R©€...'çRc"ó, 0@

+ÿ™)1P—'c\$}Aó;

] J®R©OEKoc\$}Aó;

]

&NBjMóQSFTBMFT!ZFBMJOL DPN

]

8FC XXX ZF

3PPN1BOFM &¥OÒ 7